



LOW EMBODIED CARBON | CARBON NEUTRAL | CLOSED LOOP RECYCLING

Creative Connections Interlaced

ShawContract®





Creative Connections

Interlaced

*Understated
Interwoven
Intermingle*

creative connections

Born from the inspiration of understated luxury, this collection seamlessly integrates soft and tactile textures.

In the realm of design, where sustainability meets creativity, Creative Connections captivates four distinct styles. A testament to our commitment to sustainable innovation.

The first of four styles Interlaced is available in 12 neutrals and 12 colours.



This is a 4 style collection with **Interlaced** being a first style within the collection.



Swatches at a glance


(50 x 50 cm)



46518 Stone



46101 Oyster




46870 Rose



46516 Seal



46100 Buttermilk



46675 Dusty Apricot



46514 Mushroom



46112 Linen



46676 Bisque



46111 Oatmeal



46601 Shell



46800 Powder Pink

(50 x 50 cm)




46763

Walnut



46402

Storm Cloud




46500

Lead




46376

Khaki



46447

Slate Blue




46580

Smoke



46375

Sage



46411

Sky




46105

Silk



46668

Medallion



46327

Mineral



46535

Pearl

Colourways

* Note: Visuals are representative of the colour. For precise colour and texture, please refer to sample tile.



**"Ordinary is not in
our vocabulary."**





Interlaced

Inspired by crafting, layering and quiet luxury, **Interlaced** has a strong directional quality. The design offers harmony and balance in the smoky layers evoking a mineral veil.





**"All the beauty of life is made
up of light and shadow."**







Patterns reveal themselves in mysterious, reflective waves.

Interlaced style created to subtly transform space. Create workspace balance through 45-degree organic flow of marbling eerie auras.





INTERLACED ● IN STONE

INTERLACED ● IN SEAL

INTERLACED ● IN MUSHROOM



Transitional layout

For simple or intricate transitions, **Interlaced** style gives you option to create seamlessly unified designs.

Shown here in Stone, Seal, Mushroom and Pearl combinations



Stone



Seal



Mushroom



Pearl



Half tile (25cm x 50cm)



INTERLACED ● IN PEARL

INTERLACED ● IN SLATE BLUE

Crimson Pastel Palette



A Symphony of Ethereal Elegance.
Sophisticated colour harmonies interplay with
light and shadow, capturing natural saturation.
Luxurious and statement-making designs.

- 1 Familiar Mint
- 2 Familiar Rosewood
- 3 Function Transition
- 4 Interlaced Mineral
- 5 Nordic Fir
- 6 Fragment Mineral
- 7 Poised Considered
- 8 Landing Edge Desert Tide
- 9 Interlaced Powder Pink
- 10 Function Silica
- 11 Interlaced Pearl
- 12 Graph Gravel
- 13 Fragment Marble



INTERLACED ● IN PEARL

INTERLACED ● IN BISQUE

Soft Pastel Palette



Gentle essence of tangerine orange with delicate undertones. Unparalleled serenity and style. Remarkable versatility in both contemporary and classical settings.

- 1 **Fragment** Powder Pink
- 2 **Nordic** Driftwood
- 3 **Interlaced** Oatmeal
- 4 **Interlaced** Shell
- 5 **Dyelab** Sandalwood
- 6 **Interlaced** Bisque
- 7 **Roam** Cotswold
- 8 **Fragment** Mortar
- 9 **Nordic** Honey
- 10 **Observe** Optimistic
- 11 **Positive** Warmth
- 12 **Fragment** Oatmeal
- 13 **Endless** Optimistic



INTERLACED ● IN PEARL

INTERLACED ● IN LEAD

Subtle Earth-toned Palette



- 1 Jacquard Angora
- 2 Dyelab Black Tea
- 3 Flow Smooth
- 4 Interlaced Khaki
- 5 Support Interaction
- 6 Positive Bubbly
- 7 Poised Satisfied
- 8 Fragment Oatmeal
- 9 Interlaced Medallion
- 10 Function Pebble
- 11 Dyelab Sumac

Timeless Sophistication in Earthy Tones and layering. Neutral sophistication and versatile expression, offering a masterful blend of earthy tones that transcend seasonal trends.



INTERLACED ● IN ROSE / INSTALLED QUARTER TURN

Interlaced Preferred Installation methods

<div><div><div><div>↑</div><div>↑</div></div><div><div>↑</div><div>↑</div></div></div><div><div>↑</div><div>↑</div></div><div><div>↑</div><div>↑</div></div></div> <div><div>↑</div><div>↑</div></div> <div><div>↑</div><div>↑</div></div> <div><div>↑</div><div>↑</div></div>
--

↑

→

→

↑

→

↑

←

→

←

↓

Backing Options

EcoWorx S™

- high performance polyolefin plastomer backing

100%

close loop recyclable backing solution

EcoSolution Q100™

100%

recycled content nylon fibre, optimised for low carbon and carbon neutral

Embodied Carbon (EPD Calculation A1-A3)

4.91 kg CO₂ e/m²

EcoWorx S™ carpet tile weighs

50%

less than bitumen-backed carpet tile

TaskWorx®

- High performance polymer modified bitumen backing

100%

Utilising waste raw material & 100% recycled content filler

EcoSolution Q100™

100%

recycled content nylon fibre, optimised for low carbon and carbon neutral

Embodied Carbon (EPD Calculation A1-A3)

3.58 kg CO₂ e/m²

TaskWorx® carpet tile is Air Comfort

Gold certified for low emitting products

ComfortWorx®

- High performance acoustic and underfoot comfort carpet tile backing

90%

Matrix pad Matrix pad made from 90% recycled PET bottles. 67 bottles are using in every m²

EcoSolution Q100™

100%

recycled content nylon fibre, optimised for low carbon and carbon neutral

Embodied Carbon (EPD Calculation A1-A3)

5.10 kg CO₂ e/m²

ComfortWorx® carpet tile delivers

65%

Improvement in sound absorption performance compared to other hard backed carpet tiles or hard surfaces



1.

EcoWorx S™
carpet tile

Closing
the loop



3.

Re-extruded
EcoWorx S™
and EcoWorx®
Resilient pellets

2.

Process in progress

LRV & L*: Light Reflectance Values

Light Reflectance Values and L*

LRV is a measurement that indicates how much light a surface reflects and how much it absorbs.

Understanding the Light Reflectance Values of surfaces enables interior lighting levels to be optimised and colours to be contrasted.

Designers can use the L* value for determining lighting levels or the LRV (Y) value to compare the carpet tile colours to edgings and other surface finishes.

Other style LRV's can be found on the Shaw Contract website.

	Colour name	Colour number	LRV	L*
Intelaced	buttermilk	46100	30.7	62.25
	oyster	46101	27.3	59.27
Colours available	silk	46105	29.9	61.53
	oatmeal	46111	34.3	65.24
	linen	46112	35.2	65.89
	mineral	46327	22.2	54.28
	sage	46375	29.4	61.16
	khaki	46376	14.4	44.85
	storm cloud	46402	21.3	53.32
	sky	46411	25.0	57.11
	slate blue	46447	29.1	60.90
	lead	46500	8.7	35.37
	mushroom	46514	26.7	58.71
	seal	46516	26.8	58.76
	stone	46518	29.2	60.91
	pearl	46535	14.9	45.48
	smoke	46580	16.9	48.16
	shell	46601	25.3	57.36
	medallion	46668	35.2	65.88
	dusty apricot	46675	25.2	57.29
	bisque	46676	19.7	51.46
	walnut	46763	12.4	41.88
	powder pink	46800	30.4	61.96
	rose	46870	22.3	54.32

Specifications

Access fully-detailed product specification information in seconds by scanning the QR code of individual style.

	TaskWorx®	EcoWorx S™	ComfortWorx®
Style number:	5T645	5T646	CO43W
Style name:	Interlaced	Interlaced	Interlaced
Collection:	Creative Connections	Creative Connections	Creative Connections
Product type:	Carpet tile	Carpet tile	Carpet tile

Construction

Data + Performance

Type of manufacture	Tufted 1/10" 39.4 per 10cm	Tufted 1/10" 39.4 per 10cm	Tufted 1/10" 39.4 per 10cm
Aspect	Multi-level pattern loop	Multi-level pattern loop	Multi-level pattern loop
Dye method	100% solution dyed	100% solution dyed	100% solution dyed
Dimensions	50 x 50 cm 20 tiles (5 m²) per box	50 x 50 cm 20 tiles (5 m²) per box	50 x 50 cm 16 tiles (4 m²) per box
Primary backing	PET non-woven	PET non-woven	PET non-woven
Secondary backing	TaskWorx® Tile Contains 100% recycled calcium carbonate filler	EcoWorx S™ Tile Polyolefin Plastomer	ComfortWorx® Tile Matrix Pad layer Contains 90% recycled content
Pile fibre composition	EcoSolution Q100™ Polyamide 6 Contains 100% Recycled Content	EcoSolution Q100™ Polyamide 6 Contains 100% Recycled Content	EcoSolution Q100™ Polyamide 6 Contains 100% Recycled Content
Total thickness	6.4 mm	5.8 mm	9.9 mm
Effective pile thickness	2.1 mm	1.8 mm	2.2 mm
Total mass	4200 g/m²	2971 g/m²	3707 g/m²
Nominal total pile mass	600 g/m²	600 g/m²	600 g/m²
Effective pile mass	241 g/m²	225 g/m²	241 g/m²
Pile density	0.112 g/cm³	0.123 g/cm³	0.107 g/cm³
Embodied Carbon (EPD Calculation A1–A3)	3.46 kg CO₂ e/m²	4.25 kg CO₂ e/m²	4.69 kg CO₂ e/m²



Carbon Neutral
Low Embodied Carbon

re[TURN]®

Made in the UK

For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

EcoWorx S™ 26dB 0.20 aw
TaskWorx® 26dB 0.15 aw
ComfortWorx® 37dB 0.30 aw

London +44 (0) 20 7961 4120 | Dubai +971 4 584 6956 | Oosterhout +31 20 2620955

Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate specification changes without notice. Visit shawcontract.com for more information. For detailed warranty information and the most accurate information on the recycle content please visit shawcontract.com

22
EU.DOP/2895/CPR/1222/0323/EST
OOSTERHOUT SHOWROOM VAARTWEG 10,
4905 BL NETHERLANDS (NLD)
Notified Body 2895

22
UK.DOP/0338/CPR/1222/0323/EST
SHAW EUROPE LIMITED, BLACKADDIE ROAD
SANQUIHAR DG4 6DB, UNITED KINGDOM
Approved Body 0338

EN14041:2004/AC:2006
For use as an indoor floor covering as specified by the manufacturer



FRONT COVER: **INTERLACED** IN SLATE BLUE
BACK COVER: **CREATIVE CONNECTIONS**

ShawContract®

London +44 (0) 20 7961 4120 | Dubai +971 4 584 6956 | Oosterhout +31 20 2620955
UK: infouk@shawcontract.com | Middle East/Africa: infomea@shawcontract.com | Netherlands: infonl@shawcontract.com

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bangalore +080 6773 0202 | Beijing +86 10 6568 5881
Chicago +1 312 467 1331 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543
Mexico City +55 5010 7600 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550
São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 2 8065 1901